

**Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027**

Clinical Material in Hospital

Name of College/Institute...ANAND COLLEGE OF NURSING Faculty.NURSING

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	YES	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	YES	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual 1:03	YES	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 78.80%	YES	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	NA	NA
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:- 07/01/2026




PRINCIPAL
 Anand College of Nursing
 Vallapur
 Dean/ Principal Stamp & Signature

भारतीय गैर न्यायिक

क सौ रुपये

Rs. 100

₹. 100

ONE HUNDRED RUPEES



सत्यमेव जयते

भारत INDIA

INDIAN NON JUDICIAL

MAHARASHTRA

प्रतिज्ञापत्रासाठी (2 अक्षरे क.प्र.)

29AA 371034

प्रतिज्ञापत्र कोणाकडे सादर करावयाचे

प्रतिज्ञापत्रासाठीचे कारण

मुद्रांक दिकत घेणाऱ्याचे जाद व सही

मुद्रांक विक्री बाबतची जाद व अनुक्रमांक/दिनांक

मुद्रांक दिकत घेणाऱ्याची सही

प.मु.वि.सही व प.क्र. - एस बी राजपुत ABD196(3106001)

श.दि.दिकाण/पत्ता कोर्ट परीसर

1 JUN 2023

उप कोशावर अधिकारी

वैजपुर

आनंद कॉलेज ऑफ नर्सिंग
वैजपुर
दि. 5/06/2023

Document Noted
At Sr.No. 4889/27
Dated 06/06/23

MOU

This is to bring, to your information that memorandum of understanding between Anand Charitable Trust, Anand College Of Nursing, Phulewadi Road, Vaijapur, Tal-Vaijapur, Dist. – Aurangabad

PTO

Notary Seal
Notary General, Maharashtra
Rapid No. 1028/09

423701 is being made agreement with Dr. Cheaitanya Tambe of Geetai Hospital, Vaijapur to provide the clinical practice for students from academic year 2023-2028 . There is no objection from hospital. Students here by made free of charge. Required facilities are available to students.

The permission can be renewed after every 5 years. The bed strength is 50 beds.

The information submitted is true to my belief.

Anand Amadele
Chairman
Anand Charitable Trust,
Vaijapur.

Tambe
Dr.Cheaitanya Tambe
Geetai Hospital
Vaijapur.

Date-05/06/2023
Place-Vaijapur.

[Signature]
do hereby certify that the contents of document are true to my knowledge & belief
on 05/06/2023
[Signature]

A. S. S. PATIL
Mistry Govt. of W. Centre
Regd.No 1085/06

[Signature]




Anand Charitable Trust
ANAND COLLEGE OF NURSING
At-Phulewadi Road, Vaijapur Tal- Vaijapur Dist-Chh. Sambhajinagar

Name of Hospital - Geetai Hospital Vaijapur

Classification of Beds

Sr. No.	Name of Beds	Bed Strength
1	Medical	10
2	Surgical	10
3	Obgy	20
4	Peadtics	5
7	ICU	5
	Total	50



गिताई हॉस्पिटल व प्रसुतिगृह

डॉ. चैतन्य भगवान तांबे

एम.बी.बी.एस.डी.जी.ओ

MMC2003/10/3662

(स्त्री रोग/प्रसुति व वंध्यत्व निवारण तज्ञ)

डॉ. सुरेखा चैतन्य तांबे

एम.बी.बी.एस.डी.ए.

MMC2005/01/39

(स्त्री रोग/जनरल फिजिशन व भुल तज्ञ)

श्रीराम हाऊसिंग सोसायटी, शिवराई रोड, वैजापूर जि. औरंगाबाद (०२४३६) २२२१४७

Date 23/01/2023

Pt. Name

Pt. Address

Sex

Age

Wt.

Rx

PERMISSION LETTER

WITH REQUEST LETTER FROM THE ANAND CHARITABLE TRUST
ANAND COLLEGE OF NURSING, VAIJAPUR, WE GEETAI
HOSPITAL, VAIJAPUR PERMIT THE STUDENTS FOR THE CLINICAL
PRACTICE IN OUR HOSPITAL FORM THE ACADEMIC YEAR 2023 TO
2028. THE BED STRENGTH OF HOSPITAL IS 50.

GEETAI HOSPITAL

Shivrai Road, Shriram Colony,
Vaijapur Dist. Aurangabad.

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0240-2473461

Fax : 0240-2473462

Email : roaurangabad@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Regional Office,
Paryavaran Bhavan, A - 4/1, MIDC. Area,
Chikalthana, Near Seth Nandlal Dhoot Hospital,
Jalna Road,
Aurangabad - 431210

LETTER OF BIO-MEDICAL WASTE AUTHORISATION
[Authorisation for Generation of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorization and date of issue

II. SRO-AURANGABAD/BMW-AUTH/1704000790

Date : 27/04/2022

III. M/s. Geetai Hospital, is, hereby granted an authorization for generation of biomedical waste on the premises situated At. Shivaji Road, Vaijapur, Tq. Vaijapur, Dist. Aurangabad.

IV. This authorization shall be in force for a period up to 31/03/2027. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation

V. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

VI. No of Beds: 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

[Signature]



Subjected to:

- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following,
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time, temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters.* Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test.* A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the



accident in Form III to the prescribed authority forthwith.

14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

15. Following Guidelines will be Used for Management of Mercury Waste

(I) As mercury waste is a hazardous waste, the storage, handling, treatment, and disposal practices should be in line with the requirements of Government of India's Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008, Which may be seen at website www.cpcb.nic.in.

(II) Mercury-contaminated waste should not be mixed with other bio medical waste or it should be disposed off at a hazardous waste facility or given to a mercury based equipment manufacturer.

(III) Precaution should be taken not to handle mercury with bare hands and as far as possible; jewellery should be removed at the time of handling mercury. After handling mercury, hands must be carefully washed before eating or drinking. Appropriate personal protective equipment (rubber gloves, goggles / face shields and clothing) should be used while handling mercury.

(IV) Mercury - Containing thermometers should be kept in a container that does not have a hard bottom. Prefer a plastic container to a glass container, as the possibility of breakage will be less.

(V) In case of breakage, cardboard sheets should be used to push the spilled beads of mercury together. A syringe should be used to suck the beads of mercury. Mercury should be placed carefully in a container with some water. Any remaining beads of mercury will be picked up with a sticky tape and placed in a plastic bag, properly labeled.

For and on behalf of the
Maharashtra Pollution Control Board



J. A. Kadam
(J. A. Kadam)
Sub-Regional Officer,
M.P.C. Board Aurangabad.

To,
M/s. Geetal Hospital,
Shivaji Road, Vaijapur, Tq. Vaijapur, Dist. Aurangabad.

Authorization Fees Received:-

Sr. No.	Amount	DD. No.	Date	Drawn On
1	3750/-	TXN1703412412	23/03/2022	

Copy Submitted to:-
Regional Officer, MPC Board, Aurangabad.



महाराष्ट्र

RASHTRA

2022

29AA 371036

ABD 169
- 1 JUN 2023
उप कोषदार अधिकारी
वैजपुर

प्रतिज्ञापत्रासाठी (अलच्छद क्र. ४)

प्रतिज्ञापत्र कोणाकडे सादर करावयाचे

प्रतिज्ञापत्रासाठीचे कारण

दुदाक विकत घेणाऱ्याचे नाव व सही आमद कारलेम डॉ. म. म. लि. लेन

दुदाक विक्री बाबतची नोंद व अनुक्रमांक/दिनांक

दुदाक विकत घेणाऱ्याची सही

र. म. वि. सही व प. क्र. - एस बी राजपुत ABD196/3106000

दु दि दिवाण/पत्ता कोर्ट एजीसर

दि. 05/06

Document Noted & Recd.
At Sr. No. 4890/23
Dated 06/06/23

MOU

This is to bring, to your information that memorandum of understanding between Anand Charitable Trust, Anand College Of Nursing, Phulewadi Road, Vaijapur, Tal-Vaijapur, Dist. - Aurangabad-

PTO

423701 is being made agreement with Dr.Subhas Shelke of Shelke Hospital, Vaijapur to provide the clinical practice for students from academic year 2023-2028 . There is no objection from hospital. Students here by made free of charge. Required facilities are available to students.

The permission can be renewed after every 5 years. The bed strength is 100 beds.

The information submitted is true to my belief.

Anand Amrakh
Chairman
Anand Charitable Trust
Vaijapur

Shelke
Dr.Subhas Shelke
Shelke Hospital
Vaijapur.

Date-05/06/2023
Place-Vaijapur.

Anand Amrakh
Shelke
do hereby certify that the contents of document are true to my knowledge & belief hence on this date at Vaijapur.
Notary Govt. of Maharashtra
Adv. S. D. ...
Regd.No. 108809



Anand Charitable Trust
ANAND COLLEGE OF NURSING
At-Phulewadi Road, Vaijapur Tal- Vaijapur Dist- Chh. Sambhajinagar

Name of Hospital - Shelke Hospital Vaijapur

Classification of Beds

Sr. No.	Name of Beds	Bed Strength
1	Medical	25
2	Surgical	25
3	Obgy	20
4	Peadtics	10
5	Orthopedics	5
7	ICU	15
	Total	100

डॉ. सुभाष शेळके
M.B.B.S.D.A.PGDEN(Pune)
जनरल फिजिशियन व अतिदक्षता विभाग तज्ञ
Reg. No. 89099 (M.M.C)
Email : drsubhash.shelke@hotmail.com

डॉ. सुरती मुनव्वर
M.B.B.S., D.C.H. (Slon. Mumbai)
नवजात शिशु व बालरोग तज्ञ
Reg. No. 89099 (M.M.C)
Email : surmunav@gmail.com

डॉ. सौ. कविता शेळके
M.B.B.S.DGO (Mumbai)
प्रसूति शास्त्र व स्त्रीरोग तज्ञ
Reg. No. 2004/010086
Email : drkavita.shelke786@gmail.com



जनरल। सर्जिकल। बालरोग। प्रसूतीगृह। क्रिटीकल केअर सेंटर
Hosp.Reg.: 40

शेळके हॉस्पिटल

वेळ - सकाळी - १० ते २ * सायं. ६ ते ९

Name _____ Age _____ Wt _____

Sex _____ Add _____ Date 22/01/2023

Investigation :

Rx

फेर तपासणी दिनांक -

उपलब्ध सुविधा

- मेडीसीन विभाग
- जनरल चिकित्सा
- अति दक्षता विभाग
- सेंट्रल मॉनीटरींग
- व्हेन्टीलेटर
- एक्स - रे इ. सी. जी.
- स्त्रीरोग चिकित्सा
- प्रसूति विभाग
- प्रसूतीपूर्व व प्रसूती नंतर तपासणी
- सुसज्ज ऑपरेशन थिएटर
- सिद्धेरीयन शस्त्रक्रिया
- सरकार मान्य गर्भपात व कुटूंब
- नियोजन शस्त्रक्रिया केंद्र
- वंध्यत्व चिकित्सा
- दुर्बिणीव्दारे त्रिदान व शस्त्रक्रिया
- स्त्री कर्करोग निदान व उपचार
- मेनोपॉज क्लिनिक
- बालरोग विभाग
- एन. आच. सी. यु.
- नवजात शिशु चिकित्सा
- बालरोग चिकित्सा
- लसीकरण → नेब्युलायजेशन
- २४ तास वृद्धावन पॅथॉलॉजी लॅब.

PERMISSION LETTER

WITH REQUEST LETTER FROM THE ANDAND
CHARITABLE TRUST ANAND COLLEGE OF
NURSING,VAIJAPUR,WE SHELKE HOSPITAL,VAIJAPUR
PERMIT THE STUDENTS FOR THE CLINICAL PRACTICE IN
OUR HOSPITAL FORM THE ACADEMIC YEAR 2023 TO
2028.THE BED STRENGTH OF HOSPITAL IS 50.


Dr.SUBHASH SHELKE
General Physician & Intensivist
M.B.B.S.D.A.(Pune)
जनरल फिजिशियन व अतिदक्षता विभाग तज्ञ
Shelke Hospital Vajapur

लाडगांव रोड, वैजापुर - ४२३ ७०९, जि. औरंगाबाद (०२४३६) २२२७९०, २२३७४०



सत्यमेव जयते

PUBLIC HEALTH DEPARTMENT

Civil Hospital, Chhatrapati Sambhaji Nagar

Certificate of Registration

Under Section of the

Bombay Nursing Home Registration Act, 1949

(Extention of Provision)

FORM 'C' (Under Rule 5)



This is to certify that Shri. / Shrimati Dr.Kavita Subhash Shelke has been registered under the Bombay Nursing Homes Registrations Act, 1949 in respect of Name of Nursing Home "Shelke Hospital & Maternity Home" situated at Ladgaon Road, Vijapur Dist Chhatrapati Sambhaji Nagar and has been authorised to carry on the said Nursing Home. (As per his pathy & Specialist Available)

Registration No.	40	Maternity	20 Cots
Date of Original Registration	22-06-2009	Other Patients	65 Cots
Date of Renewal	02-05-2023	I.C.U.	15 Cots

This Certificate shall be valid upto 31st March 2026.

Date of Issue:- 24/11/2023

Dr. D. M. Motipawle
Civil Surgeon,
Chhatrapati Shambhaji Nagar

CIVIL SURGEON
Chhatrapati Sambhaji Nagar

D:\Vijay\B.N.H-2019-20\Covid Resolution\Bombay and Tubectomy files\Bombay Nursing Home Registration Act, 1949\PUBLIC HEALTH DEPARTMENT(2010-07).docx

**MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE - AURANGABAD**

Phone : 0240-2473461/63

Fax : 0240-2473482

Email : roa@aurangabad.mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub-Regional Office,

Patyavaran Bhavan, A - 4/1, MIDC Area,

Chikalthane, Near Seth Nandlal Dhoot Hospital,

Jains Road,

Aurangabad - 431210

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Storage, Disposal of Bio-Medical Wastes under Rule 7(4)]

File number of authorisation and date of issue

SRO-AURANGABAD/ABD/BMW - AUTH/1805000603

Date:- 30-05-2021

II **M/s. Shelke Hospital** is hereby granted an authorisation for generation of biomedical waste on the premises situated At **Ladgaon Road, Vaijapur, Tal. Vaijapur, Dist. Aurangabad.**

III This authorisation shall be in force for a period up to **31-03-2026**

An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorisation.

IV This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V No of Beds: **100**

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.

ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1986 for collection, transportation, treatment and/or disposal of BMW generated.

Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.

It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

*Self
Approved*

15/5/21



6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category No.	Description	Quantity (kg/m)	Treatment & disposal
1	1	Human Anatomical Waste	6.0	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
2	4	Waste sharps	8.0	
3	5	Discarded Medicines & Cytotoxic Drugs	---	
4	6	Solid waste	---	
5	7	Solid Waste (item contaminated with blood)	12	
6	---	Mercury Waste	As per Actual	Sent to reprocessor authorized by MPCB
7	---	X-ray hypo solution (fixture)	As per Actual	Sent to reprocessor authorized by MPCB
8	---	X-ray films & non-irradiated plastic recycle waste	As per Actual	Sent to plastic recycler authorized by MPCB

* The occupier shall join the common BMW Treatment & Disposal Facility authorized by MPCB ne i.e. M/s - Water Grace Products, Survey No.122, Gevrai tanda, Patoda shivar, Paithan Road, Aurangabad and shall send the BMW regularly to CBMWSTDF for its scientific treatment & disposal.

7. The hospital authority shall proper collection of mercury spillage arising due to breakage of thermometer, pressure gauges & other equipments used in health care facilities as well as the storage shall be in accordance with Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 and returning it to instrument manufacturing apart from taking necessary steps to ensure that the spilled mercury does not become a part of Bio-Medical Waste or other solid waste generated from Health Care Facilities.
8. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
9. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
10. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

[Handwritten Signature]



3. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

4. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

5. You shall obtain separate Consent under Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.

6. The Occupier Shall obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board



(J. A. Kadam)
Sub-Regional Officer, Aurangabad.



s. Shelke Hospital,
Ladgaon Road, Vaijapur,
Dist:- Aurangabad.

Authorization Fees Received:-

Sr. No.	Amount	Transaction ID	Date	Drawn On
1	3750/-	TXN1805001866	18-05-2021	--


Copy to:

Regional Officer, MPCB, Aurangabad-

Chief Accounts Officer, MPCB, Mumbai.

महाराष्ट्र शासन
सार्वजनिक आरोग्य विभाग

वैद्यकीय अधीक्षक, उपजिल्हा रुग्णालय, वैजापूर यांचे कार्यालय
Office of the Medical Superintendent, Sub District Hospital, Vaijapur
येवला रोड, बस स्टॅण्ड जवळ, वैजापूर - ४२३७०१



Phone No. (०२४५१) २४०६०६

Email- medicalsupt.vaijapur@gmail.com

डॉ. बी. एन. मरे / उजिरुवै / बॉम्बे नर्सिंग / 1461/24

दिनांक १८/०९/ २०२५

प्रति.

प्राचार्य.

आनंद कॉलेज ऑफ नर्सिंग

वैजापूर जि. छत्रपती संभाजीनगर

विषय :- बी.एस.सी. नर्सिंग महाविद्यालयातील विद्यार्थ्यांना प्रात्यक्षिका साठी
खाटा वापरण्यास परवानगी देणे बाबत....

संदर्भ :- आपला अर्ज दि. ०९.०९.२०२५

वरील विषयान्वये आपणास कळविण्यात येते की, आपल्या आनंद कॉलेज ऑफ नर्सिंग,
वैजापूर महाविद्यालयातील विद्यार्थ्यांना प्रात्यक्षिकासाठी उपजिल्हा रुग्णालयातील खाटा वापरण्या
बाबत आपण वरील संदर्भिय अर्जान्वये कळविलेले आहे.

त्या अनुषंगाने नियमानुसार आपल्या नर्सिंग महाविद्यालयातील विद्यार्थ्यांना
प्रात्यक्षिकासाठी उपजिल्हा रुग्णालयातील खाटा वापरण्या बाबत परवानगी देण्यात येत आहे.

डॉ. बी. एन. मरे

वैद्यकीय अधीक्षक
उपजिल्हा रुग्णालय, वैजापूर
Vaijapur Sub District Hospital
Sambhaji Nagar

माहीतीसह सविनय सादर

१) मा. जिल्हा शल्य चिकित्सक जिल्हा रुग्णालय छत्रपती संभाजीनगर



	राष्ट्रीय आरोग्य अभियान प्राथमिक आरोग्य केंद्र लाडगाव, तालुका वैजापुर जिल्हा छत्रपती संभाजीनगर.	
	phcladgaon98@gmail.com डॉ. वृषाली एस हजारी (वैद्यकीय अधिकारी)	जाक्र/प्राआके/लाड/आरोग्य/आस्था/कावि/114/2024 कार्यालय, प्राथमिक आरोग्य केंद्र लाडगाव तालुका वैजापुर दिनांक :- 24/04/2024

प्रती,

प्रिन्सिपल आनंद कॉलेज ऑफ नर्सिंग
वैजापुर जिल्हा छत्रपती संभाजीनगर

विषय :- आनंद कॉलेज ऑफ नर्सिंग, वैजापुर शाळेतील प्रशिक्षणार्थी साठी प्रा मा केंद्र लाडगाव येथील खाटा प्रत्यक्षित वापराची परवानगी बाबत.

संदर्भ :- आनंद कॉलेज ऑफ नर्सिंग वैजापुर यांचे परवानगी बाबत चे पत्र जावक क्र २८ दिनांक २३.०४.२०२४

उपरोक्त संदर्भात आपणास कळविण्यात येते की, प्राथमिक आरोग्य केंद्र लाडगाव ता. वैजापुर येथे आपण उपरोक्त संदर्भानुसार नर्सिंग च्या प्रशिक्षणार्थी साठी खाटा प्रत्यक्षित वापरा बाबतची परवानगी मार्गात देण्यात आलेली आहेत.

तरी आपणास उपरोक्त प्रशिक्षणार्थी यांच्या साठी खाटा वापरा बाबतची परवानगी देण्यात येत आहे परंतु रुग्णांना काही त्रास होणार नाही याची दक्षता घ्यावी करिता माहितीस्तव सादर.

प्रतीलीपी

१. मा. तालुका आरोग्य अधिकारी पंचायत समिती वैजापुर यांना माहितीस्तव सविनय सादर.

वैद्यकीय अधिकारी
प्राथमिक आरोग्य केंद्र
लाडगाव ता. वैजापुर

वैद्यकीय अधिकारी
प्राथमिक आरोग्य केंद्र
लाडगाव ता. वैजापुर